



*Professional in labeling machine*

*Dongguan YUCHENG MECHANICAL TECHNOLOGY Co., Ltd.*

*Amy Wong*

*Phone/whatsapp/wechat: +86 18664140847*



## Company Introduction



*Dongguan Yucheng Machinery Technology Co., Ltd. is located in the world factory - Dongguan, Guangdong. It has been engaged in packaging equipment for more than ten years. It is a high-tech enterprise integrating R&D, production and sales of labeling machines.*

*The machines are widely used in food, daily chemicals, pharmaceuticals, electronics, alcoholic beverages, hardware, petrochemicals, logistics and many other industries.*

*To supply quality machinery and provide excellent service to our clients. To create win-win with you happily !*

*Our machines meet the needs of domestic and foreign customers and have been exported to the United States, Japan, Singapore, Vietnam, the United Kingdom, Chile, Indonesia, Australia and other countries, etc.*

*We are willing to be your most trusted partner, we invite you to contact us to find out more.*

**NISHO**  
APPAREL MACHINERY

**Whirlpool**

**LOCK & LOCK**

**oppo**

**HUAWEI**

**VALUED  
NATURALS**  
Quality you can see...and taste!

**Galanz**

**AVERY  
DENNISON**

**MISUMI**

**voion**  
One Box at a Time

**WONDERLAND**

**BWT**  
BEST WATER TECHNOLOGY



**Unilever**

**Hanergy**  
汉能控股集团  
HANERGY HOLDING GROUP

**H&M**




# Company Certificates



It is a high-tech enterprise in China. We have CE certifications, and more than 20 mechanical & software patent certificates, with an average of more than 10 patents added each year.



# Order Process





# Semi-automatic round bottle machine



**Function introduction:** Applicable to circumferential labeling of various cylindrical products. Such as cosmetic bottles, shampoo bottles, shower gel bottles, medicine bottles, jam bottles, essential oil bottles, sauce bottles, wine bottles, mineral water bottles, beverage bottles, glue bottles, test tube, needle tube, etc.



Semi-automatic round bottle machine	
Type	YCT-20
Label Quantity	One or two (Labels are made in the same volume)
Accuracy	±0.5mm
Speed	15~35pcs/min
Label size	Length15~380mm;Width15~165mm
Product size(Horizontal)	Diameter15~150mm;height:15~300mm
Label requirement	Roll label;Inner dia 76mm;Outside roll≤250mm
Machine size and weight	L920*W420*H500mm; 35Kg
Packing size and weight	L830*530*650mm;70kg,export wooden box packing.
Power	AC 220V ; 50/60HZ
Label requirement	1.Can add ribbon coding machine 2.Can add transparent sensor 3.Can add Circular positioning function
Configuration	PLC control;Have sensor;Have touch screen
No need to press the top	
Through the touch screen, you can directly input the speed and parameters. and you can adjust the length of the standard label and the interval between the positive and negative double labels. Very convenient.	





# Desktop automatic round bottle machine



Function introduction: Applicable to circumferential labeling of various cylindrical products. Such as cosmetic bottles, shampoo bottles, shower gel bottles, medicine bottles, jam bottles, essential oil bottles, sauce bottles, wine bottles, mineral water bottles, beverage bottles, glue bottles, etc.



Desktop automatic round bottle machine	
Type	YCT-08
Label Quantity	One label at a time
Accuracy	±1mm
Speed	30~120pcs/min
Label size	Length20~300mm;Width15~150mm
Product size(Vertical)	Diameter30~100mm;height:15~300mm
Label requirement	Roll label;Inner dia 76mm;Outside roll≤250mm
Machine size and weight	L1100*W850*H850mm; 145Kg
Packing size and weight	L1250*W950*1000;185KG
Power	AC 220V ; 50/60HZ
Additional features	1.Can add the ribbon coding machine 2.Can add transparent sensor 3.Can add inkjet printer or laser printer
Configuration	PLC control; sensor; touch screen; conveyor belt






# Desktop automatic round bottle machine



**Function introduction:** Applicable to circumferential labeling of various cylindrical products. Such as cosmetic bottles, shampoo bottles, shower gel bottles, medicine bottles, jam bottles, essential oil bottles, sauce bottles, wine bottles, mineral water bottles, beverage bottles, glue bottles, etc.



Desktop automatic round bottle machine	
Type	YCT-09
Label Quantity	One or two llabels at a time
Accuracy	±1mm
Speed	20-45pcs/min
Label size	Length20~300mm;Width15~150mm
Product size(Vertical)	Diameter30~100mm;height:15~300mm
Label requirement	Roll label;Inner dia 76mm;Outside roll≤250mm
Machine size and weight	L1100*W850*H850mm; 145Kg
Packing size and weight	L1250*W950*1000;185KG
Power	AC 220V ; 50/60HZ
Additional features	1.Can add the ribbon coding machine 2.Can add transparent sensor 3.Can add inkjet printer or laser printer
Configuration	PLC control;Have sensor;Have touch screen;Have conveyor belt





# Automatic round bottle machine



**Function introduction:** Applicable to circumferential labeling of various cylindrical products. Such as cosmetic bottles, shampoo bottles, shower gel bottles, medicine bottles, jam bottles, essential oil bottles, sauce bottles, wine bottles, mineral water bottles, beverage bottles, glue bottles, etc.




Automatic round bottle machine	
Type	YCT-60
Label Quantity	One label at a time
Accuracy	±1mm
Speed	30~200pcs/min
Label size	Length 20~300mm; Width 15~165mm
Product size (Vertical)	Diameter 30~100mm; height: 15~300mm
Label requirement	Roll label; Inner dia 76mm; Outside roll ≤ 300mm
Machine size and weight	L1930mm*W1120mm*H1340mm; 200Kg
Power	AC 220V ; 50/60HZ
Additional features	1.Can add the ribbon coding machine 2.Can add transparent sensor 3.Can add inkjet printer or laser printer 4. Can add bottle unscrambler
Configuration	PLC control; Have sensor; Have touch screen; Have conveyor belt



The following conditions are suitable for the UBL-T-401 model. (next page)

1. The labeling position of the bottle is recessed than other parts of the bottle;
2. Stick two labels at a time
3. Label docking accuracy requirements are very high
4. Transparent label







# Positioning automatic round bottle machine



**Function introduction:**Applicable to circumferential labeling of various cylindrical products. Such as cosmetic bottles, shampoo bottles, shower gel bottles,medicine bottles, jam bottles, essential oil bottles, sauce bottles, wine bottles,mineral water bottles, beverage bottles, glue bottles,Metal can, milk powder canetc.Can be labeled single and double.Can add bottle unscrambler



Positioning automatic round bottle machine	
Type	YCT-61
Label Quantity	One or two labels at a time
Accuracy	±0.5mm
Speed	25~55pcs/min
Label size	Length20~300mm;Width15~165mm
Product size(Vertical)	Diameter30~100mm;height:15~300mm
Label requirement	Roll label;Inner dia 76mm;Outside roll≤300mm
Machine size and weight	L1950mm*W1200mm*H1530mm; 200Kg
Packing size weight	L1910*W1120*L1670mm; about 350kg
Power	AC 220V ; 50/60HZ
Additional features	1.Can add the ribbon coding machine 2.Can add transparent sensor 3.Can add inkjet printer or laser printer 4.Can add Circular positioning function
Configuration	PLC control;Have sensor;Have touch screen;Have conveyor belt;Have cylinder;Need air compressor
When the bottle labeling position is recessed, and need Positioning labeling .it is suitable to use this machine.	





## Oil bottle special labeling machine



**Function introduction:** Suitable for PET oil bottle labeling. Such as 250ml, 500ml, 1L, 2.5L, 3L, 5L oil bottles. With the handle can be positioned handle labeling. (5L square bottle after filling, a label that wraps around three sides.)



Oil bottle special labeling machine	
Type	YCT-63
Label Quantity	One label at a time
Accuracy	±1mm
Speed	10~40pcs/min
Label size	Length 20~285mm; Width 15~160mm
Product size (Vertical)	250ml, 500ml, 1L, 2.5L, 3L, 5L
Label requirement	Roll label; Inner dia 76mm; Outside roll ≤ 300mm
Machine size and weight	L2500mm*W1500mm*H1300mm; 200Kg
Packing size weight	L1910*W1120*L1670mm; about 350kg
Power	AC 220V ; 50/60HZ
Additional features	1.Can add the ribbon coding machine 2.Can add transparent sensor 3.Can add inkjet printer or laser printer
Configuration	PLC control; Have sensor; Have touch screen; Have conveyor belt; Have cylinder; Need air compressor
Bottle labeling after filling requires the use of a cylinder separator.	





# Automatic bottle unscrambler



Automatic bottle unscrambler	
Type	YCT-07
Speed	30~150pcs/min
Bottle diameter	20~100mm
Bottle height	20~270mm
Turntable diameter	800mm
Machine size and weight	L990*W900*H1040mm; 80Kg
Power	AC 220V ; 50/60HZ 120w
Used with round bottle labeling machine & filling machine. It could be connected suit position as you need. It can store a lot of bottles and automatically bottle them to other conveyor belts, saving labor.	






# Horizontal round bottle labeling machine



**Function introduction:**It is suitable for labeling small cylindrical products with large output, small diameter and unstable standing, such as test tube, oral liquid, pen, pigment, essential oil, vial, needle tube, small medicine bottle, small cosmetic bottle and so on. Lying on the conveyor label, the speed is very fast.



Horizontal round bottle labeling machine	
Type	YCT-66
Label Quantity	One label at a time
Accuracy	±1mm
Speed	80~200pcs/min
Label size	Length20~100mm;Width20~150mm
Product size(Horizontal)	Diameter18~25mm;height:30~100mm; Other sizes can be customized
Label requirement	Roll label;Inner dia 76mm;Outside roll≤250mm
Machine size and weight	L2050*W680*H1450mm; 250Kg
Power	AC 220V ; 50/60HZ
Additional features	1.Can add the ribbon coding machine 2.Can add transparent sensor 3.Can add inkjet printer or laser printer
Configuration	PLC control; sensor; touch screen;roller conveyor belt






# Semi-automatic flat labeling machine



**Function introduction:**Use the suction method. Adhesive label is pressed and labeled. (Some products have a concave surface. They can be made with the same shape as the concave surface and protrude into the concave label) for small-area labeling. If the label is large or transparent, bubbles may appear. (Another model UBL-T-104 will be more suitable, the next page is introduced.) For small bottles, plastic bags, boxes, metal originals, etc.The cylinder stroke is adjustable and it is easy to adjust for different thickness bottles.



Semi-automatic flat labeling machine	
Type	YCT-10
Label Quantity	One label at a time
Accuracy	±0.5mm
Speed	20~45pcs/min
Label size	Length15~100mm;Width15~150mm
Product size(Horizontal)	Length 20~200mm; Width20~150mm; Height/thickness0.2~120mm
Label requirement	Roll label;Inner dia 76mm;Outside roll≤300mm
Machine size and weight	L850*W410*H720mm; 52kg
Packing size and weight	L700*550*830mm;75kg ,with export wooden box.
Power	AC 220V ; 50/60HZ
Additional features	1.Can add the ribbon coding machine
Configuration	PLC control; sensor; touch screen;Need air compressor;One label head;Need mold.





# Semi-auto square bottle 3/4 sides round bottle labeling machine



**Function introduction:**This is a versatile machine that uses a mold to hold the bottle mouth and bottom of the bottle, and rotates the label, and the roll-on method does not create bubbles. It can be labelled on a square or hexagonal bottle or elliptical bottle, with a label around 3 or 4 sides, or a label on a round bottle.



Semi-automatic square bottle 3/4 sides and round bottle labeling machine			
Type	YCT-13		
Label Quantity	One label at a time		
Accuracy	±0.5~1mm		
Speed	10~30pcs/min		
Label size	Length20~300mm;Width15~150mm		
Product size(Horizontal)	<table border="1"> <tr> <td><b>Round bottle</b> Diameter 25~100mm; Height 20~150mm;</td> <td><b>Square bottle or flat stuff</b> Length 20~150mm; Width20~110mm; Height/thickness0.2~100mm</td> </tr> </table>	<b>Round bottle</b> Diameter 25~100mm; Height 20~150mm;	<b>Square bottle or flat stuff</b> Length 20~150mm; Width20~110mm; Height/thickness0.2~100mm
<b>Round bottle</b> Diameter 25~100mm; Height 20~150mm;	<b>Square bottle or flat stuff</b> Length 20~150mm; Width20~110mm; Height/thickness0.2~100mm		
Label requirement	Roll label;Inner dia 76mm;Outside roll≤300mm		
Machine size and weight	L850*W410*H720mm;		
Power	AC 220V ; 50/60HZ		
Additional features	1.Can add the ribbon coding machine 2.Can add transparent sensor		
Configuration	PLC control;Have sensor;Have touch screen;Need air compressor;One label head;Need mold		
It can be automatically inflated into the bottle to make the bottle flat.			





# Semi-auto Flat bottle round bottle multi-function labeling machine



**Function introduction:**This is a versatile machine that uses a mold to hold the bottle mouth and bottom of the bottle, and rotates the label, and the roll-on method does not create bubbles. It can automatically pastes two labels on a square or flat bottle. It can also pastes a label around the 3 sides or 4 sides of the square bottle. It can also pastes a label on a round bottle.



Semi-automatic square and round Multi-function labeling machine		
Type	YCT-16	
Label Quantity	One or two (Labels are made in the same volume)	
Accuracy	±0.5~1mm	
Speed	10~30pcs/min	
Label size	Length20~300mm;Width15~150mm	
Product size(Horizontal)	<b>Round bottle</b> Diameter 25~100mm; Height 20~150mm;	<b>Square bottle or flat stuff</b> Length 20~150mm; Width20~110mm; Height/thickness0.2~100mm
Label requirement	Roll label;Inner dia 76mm;Outside roll≤300mm	
Machine size and weight	L850*W410*H720mm;	
Power	AC 220V ; 50/60HZ	
Additional features	1.Can add the ribbon coding machine 2.Can add transparent sensor	
Configuration	PLC control;Have sensor;Have touch screen;Need air compressor;One label head;Need mold	
It can be automatically inflated into the bottle to make the bottle flat.		





# Semi-automatic corner labeling machine



**Function introduction:**Used for corner labeling of various plane products, such as box corner, bag corner, bottle corner labeling, etc.  
Working principle: first label, then control the brush corner overlay by motor



Semi-automatic corner labeling machine	
Type	YCT-15
Label Quantity	One label at a time
Accuracy	±0.5mm
Speed	20~45pcs/min
Label size	Length15~100mm;Width15~150mm
Product size(Horizontal)	Length 20~200mm; Width20~150mm; Height/thickness0.2~120mm (can customized)
Label requirement	Roll label;Inner dia 76mm;Outside roll≤300mm
Machine size and weight	L850*W410*H720mm; 52kg
Packing size and weight	L700*550*830mm;75kg ,with export wooden box.
Power	AC 220V ; 50/60HZ
Additional features	1.Can add the ribbon coding machine
Configuration	PLC control;Have sensor;touch screen;Need air compressor;One label head;Need mold.







# Automatic double sides labeling machine



**Function introduction:** Suitable for single side or double side labeling of square bottles and flat bottles. Such as Lubricating oil, glass clean, washing liquid, shampoo, shower gel, honey, chemical reagent, olive oil, jam, mineral water, etc. Can add round bottle label mechanism (Also suitable for round bottle labeling)



Automatic double sides labeling machine	
Type	YCT-52
Label Quantity	One or two labels at a time
Accuracy	±1mm
Speed	30~200pcs/min
Label size	Length 20~200mm; Width 15~160mm
Product size (Vertical)	Length 20~250mm; Width 30~90mm; Height 60~280mm
Label requirement	Roll label; Inner dia 76mm; Outside roll ≤ 300mm
Machine size and weight	L3000*W1450*H1600mm; 330Kg
Power	AC 220V ; 50/60HZ
Additional features	1. Can add the ribbon coding machine 2. Can add transparent sensor 3. Can add inkjet printer or laser printer 4. Can add round bottle label mechanism (Also suitable for round bottle labeling diameter: 30~90mm)
Configuration	PLC control; sensor; touch screen; conveyor belt; top belt; Two label heads.





# Flat labeling machine



**Function introduction:** Suitable for automatic labeling of flat products. Such as Bottle caps, wipes cover, lying square bottles, mobile phone cases, color boxes, cartons, square boxes, plastic sheets, folders, tin boxes, egg boxes, plastic bags, Tablet oral liquid etc.



Flat labeling machine	
Type	YCT-30
Label Quantity	One label at a time
Accuracy	±1mm
Speed	30~150pcs/min
Label size	Length6~250mm;Width20~160mm
Product size	Length40~400mm;Width40~200mm;Height0.2~100mm
Label requirement	Roll label;Inner dia 76mm;Outside roll≤250mm
Machine size and weight	L1600*W780*H1400mm; 180Kg
Power	AC 220V ; 50/60HZ
Additional features	1.Can add the ribbon coding machine 2.Can add transparent sensor 3.Can add inkjet printer or laser printer; barcode printer 4.Can add label heads
Configuration	PLC control; sensor; touch screen; conveyor belt





# Desktop auto flat labeling machine



**Function introduction:** Suitable for automatic labeling of flat products. Such as Bottle caps, wipes cover, lying square bottles, mobile phone cases, color boxes, cartons, square boxes, plastic sheets, folders, tin boxes, egg boxes, plastic bags, Tablet oral liquid etc.



Desktop automatic flat labeling machine	
Type	YCT-3S
Label Quantity	One label at a time
Accuracy	±1mm
Speed	30~150pcs/min
Label size	Length6~250mm;Width20~160mm
Product size(Vertical)	Length40~400mm;Width40~200mm;Height0.2~100mm
Label requirement	Roll label;Inner dia 76mm;Outside roll≤250mm
Machine size and weight	L1100*W650*H1000mm; 145Kg
Packing size and weight	L1250*W750*1100;185KG
Power	AC 220V ; 50/60HZ
Additional features	1.Can add the ribbon coding machine 2.Can add transparent sensor 3.Can add inkjet printer or laser printer
Configuration	PLC control; sensor; touch screen; conveyor belt





# Card&bag labeling machine



**Function introduction:** Suitable for all kinds of cards. such as clothing tag, scratch card, flat color box, paper card, plastic bag, aluminum foil bag, etc.



Card /bag labeling machine	
Type	YCT-31
Label Quantity	One label at a time
Accuracy	±1mm
Speed	40~150pcs/min
Label size	Length6~250mm;Width20~160mm
Product size(Vertical)	Length60~280mm;Width40~200mm;Height0.2~2mm other size can customized
Label requirement	Roll label;Inner dia 76mm;Outside roll≤250mm
Machine size and weight	L2200*W700*H1400mm; 180Kg
Power	AC 220V ; 50/60HZ
Additional features	1.Can add the ribbon coding machine 2.Can add transparent sensor 3.Can add inkjet printer or laser printer barcode printer 4.Can add label heads
Configuration	PLC control; sensor; touch screen conveyor belt; Feida. collect device.





## Double-sided tape labeling machine




**Function introduction:**It is used for sticking long strips of double-sided tape on the surface of cardboard, card boxes, cartons, envelope bags, express bags, food paper bags, document bags, etc.; the labeling position air conditioner can adjust the length of the double-sided tape and automatically cut it off.

It comes with a sorting machine, which can automatically sort pages, and can be equipped with multiple headers to realize the same paper card with multiple double-sided tapes.The conveyor belt contains a suction device, which makes the paper card conveying more stable and the labeling accuracy higher. The cut surface is neat, beautiful and precise.



Tape labeling machine	
Type	YCT-D2
Label Quantity	customized 2-4 labels
Accuracy	±1mm
Speed	50-90 m/min
tape size	optional : 5-35mm or 10-70mm
Product size ,optional	Max size :900*850mm (or 600*700mm) Min size : 100*60mm
Label requirement	Roll label;Inner dia 76mm;Outside roll≤250mm
Machine size and weight	L3070*W1340*H1650mm,800KG
Power	AC 220V ; 50/60HZ ,800W





# Box three-sided labeling machine



**Function introduction:** Suitable for square box labeling, one label wrapping three sides (top and two sides), Such as biscuit boxes, fruit boxes, dried fruit boxes, candy boxes, etc.



Box three-sided labeling machine	
Type	YCT-33
Label Quantity	One label at a time
Accuracy	±1mm
Speed	30~60pcs/min
Label size	Length 20~200mm; Width 20~160mm (customized)
Product size (Vertical)	customized
Label requirement	Roll label; Inner dia 76mm; Outside roll ≤ 300mm
Machine size and weight	L2000*W1450*H1600mm; 200Kg
Power	AC 220V ; 50/60HZ
Additional features	1.Can add the ribbon coding machine 2.Can add transparent sensor 3.Can add inkjet printer or laser printer
Configuration	PLC control; sensor; touch screen; conveyor belt; top belt; Includes corner covering device.





# Label head



**Function introduction:** Suitable for wood, cloth, bottle cap, wipes cover, lying square bottle, mobile phone case, color box, carton, square box, plastic sheet, folder, iron box, egg box, plastic bag, film, printing paper Etc., does not contain conveyor lines. Can be placed next to your company's original conveyor belt, automatically detect the labeling of items.



Label head		
Name	Sidelabel head	Top label head
Type	YCT-90	YCT-91
Label Quantity	One	
Accuracy	±1mm	
Speed	30~150pcs/min	
Label size	Length6~250mm;Width20~160mm	
Product size(Vertical)	No requirements, depending on your company's assembly line	
Label requirement	Roll label;Inner dia 76mm;Outside roll≤250mm	
Machine size and weigh	L1100*W700*H1400mm; 80Kg	
Power	AC 220V ; 50/60HZ	
Additional features	1.Can add the Label requirement 2.Can add transparent sensor 3.Can add inkjet printer or laser printer barcode printer	
Configuration	PLC control; sensor; touch screen; No conveyor belt.	






# Automatic wire folding labeling machine



**Function introduction:**Used in a variety of wire, pole, plastic tube, jelly, lollipop, spoon, disposable dishes, and so on. Fold the label. It can be an airplane hole label.



Automatic wire folding labeling machine	
Type	YCT-17
Label Quantity	one lable at a time
Accuracy	±0.5mm
Speed	15~40pcs/min
Label size	Length10~60mm;Width40~120mm(The direction of the fold)
Product size	Can customized (diameter 3mm ,5mm,10mm etc.)
Label requirement	Roll label;Inner dia 76mm;Outside roll≤250mm
Machine size and weight	L600*W580*H780mm; 80Kg
Power	AC 220V ; 50/60HZ
Additional features	1.Can add the ribbon coding machine 2.Can add transparent sensor 3.Can add inkjet printer or laser printer; barcode printer
Configuration	PLC control; sensor; touch screen;







# Automatic weighing & printing labeling machine



**Function introduction:** Used in meat, fruits, vegetables, boxes, etc., automatic weighing, automatic printing of labels and stickers on boxes or bags. Customer groups are cold chain suppliers, fruit and vegetable suppliers.



Automatic weighing and printing labeling machine	
Type	YCT-306 dpi : 300
Label Quantity	One label at a time
Label accuracy	±1mm
Weighing range	100g~4kg
Speed	15~50pcs/min
Label size	Length25-200mm;Width25.1~104mm(the other size can customized.)
Product size	Length40~400mm;Width40~200mm;Height0.2~100mm
Label requirement	Roll label;Inner dia 76mm;Outside roll≤200mm
Machine size and weight	L1600*W780*H1400mm; 180Kg
Power	AC 220V ; 50/60HZ
Additional features	1.Can increase barcode scanning function
Configuration	PLC control;Have sensor;Have touch screen;Have conveyor belt; have weighing detection device;Have barcode printer ;used with computer .
work process	Manually put the product or connect the front line, the machine automatically weighs, automatically prints the price/weight/bar code label, etc., and automatically labels it.





# Water purification filter special labeling machine



**Function introduction:** This is a special labeling machine for filter cartridges. It is used when the labeling accuracy is very high. Position the label and position the code.



Water purification filter special labeling machine	
Type	YCT-84
Label Quantity	One label at a time (Circumferential positioning labeling)
Accuracy	±1mm
Speed	10~35pcs/min
Label size	Length15~250mm;Width20~160mm
Product size	Customized
Label requirement	Roll label;Inner dia 76mm;Outside roll≤250mm
Machine size and weight	L2200*W780*H1400mm; 220Kg
Power	AC 220V ; 50/60HZ
Additional features	1.Can add the ribbon coding machine 2.Can add transparent sensor 3.Can add inkjet printer or laser printer; barcode printer 4.Can add label heads
Configuration	PLC control; sensor; touch screen; Customized conveyor belt





## Fire extinguisher special labeling machine



**Function introduction:** It is suitable for sticking a label on the circumference of a dry powder fire extinguisher tank with a gross weight of 1.5~7.5 kg (net weight 1~5 kg). It can use the barometer as the positioning point and label the position at the specified position. It can be customized for 1~12KG fire extinguisher labeling machine. .



Fire extinguisher special labeling machine	
Type	YCT-49
Label Quantity	One label (Customizable double headers for two labels)
Accuracy	±1mm
Speed	10~25pcs/min
Label size	Length50~220mm;Width50~220mm
Product size	Diameter 80~140mm (can customized)
Label requirement	Roll label;Inner dia 76mm;Outside roll≤250mm
Machine size and weight	L2500*W1500*H1200mm; 200Kg conveyor belt height 565mm
Power	AC 220V ; 50/60HZ
Additional features	1.Can add the ribbon coding machine 2.Can add transparent sensor 3.Can add inkjet printer or laser printer; barcode printer 4.Can add label heads
Configuration	PLC control; sensor; touch screen; Stainless steel conveyor belt





## lamp tube special labeling machine



**Function introduction:** It's specially designed for labeling lamps. Stand-alone or connected to the production line.



lamp tube special labeling machine	
Type	YCT-91
Label Quantity	One label at a time
Accuracy	±1mm
Speed	30~150pcs/min
Label size	Length6~250mm;Width20~160mm
Product size	Length600-1500mm; T8
Label requirement	Roll label;Inner dia 76mm;Outside roll≤250mm
Machine size and weight	L3400*W1800*H1450mm; about 300kg.
Power	AC 220V ; 50/60HZ
Additional features	1.Can add the ribbon coding machine 2.Can add transparent sensor 3.Can add inkjet printer or laser printer; barcode printer 4.Can add label heads
Configuration	PLC control; sensor; touch screen; conveyor belt





## Oval lighter special labeling machine



**Function introduction:**It is applied to an oval lighter label, and a label wraps the entire circumference.



Oval lighter special labeling machine	
Type	YCT-01
Label Quantity	One label at a time
Accuracy	±1mm
Speed	15~40pcs/min
Label size	customized
Product size	customized
Label requirement	Roll label; Inner dia 76mm;Outside roll≤250mm
Machine size and weight	L1200*W850*H1600mm; 150Kg
Power	AC 110V/220V ; 50/60HZ
Additional features	1.Can add the ribbon coding machine 2.Can add transparent sensor 3.Can add inkjet printer or laser printer; barcode printer
Configuration	PLC control; sensor; touch screen; conveyor belt





## Conveyor



**Function introduction:**Used to transport objects. It is used with ink jet printer and laser marking machine. Such as for bottles, bags, flat products, etc.



Conveyor	
Name	Conveyor
Machine size	L1500* W250*H750mm
Belt width	193mm
Machine weigh	16KG
Packing size	L1530*410*210mm
Packing weigh	25KG
Speed	0~28 m/min
Power	AC 110V/220V ; 50/60HZ ;60W



## Paging conveyor



**Function introduction:** Ability to automatically page. Putting the items in the sorting machine will automatically separate them onto the conveyor belt according to the adjusted speed, and use the matching labeling machine, inkjet printer, laser marking machine, etc. Such as color boxes, plastic bags, etc.



Paging Conveyor		
Name	Paging Conveyor	Customized paging Conveyor
Machine size	L1400* W350*H840mm	L1400*W450*840mm
machine width	Belt 250mm (Available product size300mm)	Belt 400mm (Available product size450mm)
Machine weigh	35KG	45KG
Packing size	L1350*480*400mm	L1350*580*400mm
Packing weigh	46KG	66KG
Speed	0~28 m/min	
Power	AC 110V/220V ; 50/60HZ ;60W	




# Flying Laser marking machine



Laser marking machines are mainly used for marking the surface of materials such as cartons, bags, beverages, labels, bottles, films, plastics, glass, wood, pens, metal, mobile phones, etc. Laser printing English, Chinese, numbers, symbols, barcodes, etc. Compared with the ink jet printer, it has the following advantages:

No ink saving, no need for cleaning, no blockage, high-grade printing, non-erasable, long life.



Machine material	All aluminum structure
Laser	Sealed metal radio frequency carbon dioxide laser generator
Laser power	20W/30W
Laser wavelength	10.6μm
Galvanometer deflection	High precision two - dimensional scanning system
Engraving speed	≤7000mm/s
Screen	13inch
Cooling system	forced air cooling
Focus lens	130mm
Marking type	Dot matrix, vector machine
Min. line width	0.03mm
Accuracy	0.01mm
Scope	110mm×110mm
Locate mode	Red light orientation and focus
Lines	Any line in the marking range
Line speed	0~100m/min
Typeface	English, Chinese, Numbers, etc
File format	BMP/DXF/HPGL/JPEG/PLT
Bar code	CODE39、CODE128、CODE126、QR
Power	220V 60HZ 600W
Weight	23kg
Machine size	710mm*138mm*183mm
Environmental requirement	External temperature 0°C-45°C;Humidity of 95% or less;The condensation;No vibration
Subject rang	Suitable for most non-metallic materials





# Inkjet printer



The small character ink jet printer is mainly used for printing on food, beverage, pharmaceutical, cosmetics, automobile, cable and electronic products, and can print small text. Such as printing product information, production date, time, batch number, serial water code, QR code, bar code, trademark pattern, etc. Can spray English, Chinese, Marvin, Arabic numerals, symbols and other languages.



<b>Small character ink jet printer</b>	
Printing performance	1~4 lines (5*5/5*N);1~3 lines (7*8/7*5/7*N); 1~2 lines(12*10/10*8/9*9/9*7);1 line (24*24/24*18/16*16/16*12);
Character height	2~20mm
Maximum speed	2016 characters / second @5*5
Array configuration	5*5, 7*5, 9*7, 12*9, 16*11, 19*14,24*17
Bar code	Code 39,code 128,EAN13
QR code	DataMatrix,QRcode
Nozzle aperture	60µm
Ink type	Dye type
Number of login information	Max.999
Character type	Letters, numbers, symbols, Chinese, English, can be customized
Number chain function	Max 9 digits, set any initial value, increase, decrease, set digits, clear function
POWER	AC100~240V 50/60HZ
Weight	25KG
Machine size	268*350*490mm





# Label



Our group has a branch specializing in the production of labels for labeling machines. There are multiple presses. PS printing machine, 6+1 color rotary printing machine, 8+1 color rotary printing machine, 4-color printing machine, trademark machine, die cutting machine, slitting machine, etc. It can supply labels for various industries, such as waterproof labels (pp, pet, pe) and paper. Class labels, transparent labels, hot stamping labels, etc.





*We invite you to contact us to find out more.*

